

March 30th.

Work Order ID 142299

142299

Page 1

Friday, March 04, 2016 3:10:21 PM

Item: D412-705-013

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Intake Plenum Access Panel

Start Date: 3/9/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 3/30/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: umfDate: 16-3-4

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

IIN-D412-705

E

DAS
6
9-89

100

Document Control

0.00

100

DC

DOCUMENT CONTROL

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP D412-705-013 . CHG004

MCS 16-03-16

4X DAS
27
9-89

MAR 21 2016

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

4X DAS
28
9-89

MAR 16 2016

120

QC4- 100% Inspect kits for completeness

0.00

120

QC

Memo

0.00

Quality Control

4X DAS
27
9-89

MAR 21 2016

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
[Empty area for Description Work Order Deviation]		[Empty area for Disposition]		Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

Friday, March 04, 2016 3:10:21 PM

Page 1

Work Order ID: 142299

142299

Parent Item: D412-705-013

D412-705-013

Parent Item Name: Intake Plenum Access Panel

Start Date: 3/9/2016

Required Date: 3/30/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:A New Issue 07-09-09 JLM Verified By:EC
IPP Rev:B ECN 1052 07-11-05 DD Verified by:EC IPP
Rev:C ECN 12-670 12.11.07 DD Verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3245-041 *D3245-041* Access Panel Assembly LH		Manufactured	No			110	Each	7.0000	1	4		DAS 6 9-89	DAS 28 9-89
				<u>Location</u>				<u>Loc Qty</u>					
				ST487				7					
				127535				1					
				131656				6					
D3245-042 *D3245-042* Access Panel Assembly RH		Manufactured	No			110	Each	9.0000	1	4		DAS 6 9-89	DAS 28 9-89
				<u>Location</u>				<u>Loc Qty</u>					
				ST488				9					
				127891				2					
				131657				6					
				99722				1					
D3245-043 *D3245-043* Door Assy		Manufactured	No			110	Each	10.0000	2	8		DAS 6 9-89	DAS 28 9-89
				<u>Location</u>				<u>Loc Qty</u>					
				ST488				10					
				130862				7					
				132181				3					

MAR 16 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____							
Misidentified ☐	☐ Past Due								

Picklist Print

Friday, March 04, 2016 3:10:21 PM

Page 2

Work Order ID: 142299

142299

Parent Item: D412-705-013

D412-705-013

Parent Item Name: Intake Plenum Access Panel

Start Date: 3/9/2016

Required Date: 3/30/2016

Start Qty: 4.00

Required Qty: 4.00

D3245-11 Manufactured No

110 Each 19.0000 2 8

D3245-11

Gasket 9.01

**

DAS
6
9-89
DAS
28
9-89

Location	Loc Qty	Loc Code
ST028	19	
129528	1	
130958	2	
141644	16	

DAS
27
9-89

D3245-13 Manufactured No

110 Each 17.0000 2 8

D3245-13

Gasket 9.50

**

DAS
6
9-89
DAS
28
9-89

Location	Loc Qty	Loc Code
ST028	17	
129529	1	
141645	16	

DAS
27
9-89

D3245-9 Manufactured No

110 Each 23.0000 2 8

D3245-9

Gasket 8.35

**

DAS
6
9-89
DAS
28
9-89

Location	Loc Qty	Loc Code
ST027	23	
101068	13	
103050	10	

DAS
27
9-89

MS20427M3-3 Purchased No

110 Each 801.0000 16 64

MS20427M3-3

Rivet

**

DAS
6
9-89
DAS
28
9-89

Location	Loc Qty	Loc Code
GA	801	
m133577	801	

DAS
27
9-89

MAR 16 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Friday, March 04, 2016 3:10:21 PM

Work Order ID: 142299

142299

Parent Item: D412-705-013

D412-705-013

Parent Item Name: Intake Plenum Access Panel

Start Date: 3/9/2016

Required Date: 3/30/2016

Start Qty: 4.00

Required Qty: 4.00

MS21060-L3K

Purchased

No

110

Each

256.0000

8

32

MS21060-L3K

Nut Plate

DAS
6
9-89

DAS
28
9-89

DAS
27
9-89

Location

Loc Qty

Loc Code

GA

45

m127836

7

m131467

1

m132256

37

ST300

192

131677

2

m133922

15

m134257

75

m134370

100

ST302

19

m131187

19

MAR 16 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : ☐			

5.0 PARTS LIST

Qty -011	Qty -013	Qty -015	Qty -017	Qty -019	Qty -021	Qty -023	Part Number	Description
X							D412-705-011	TWIN PAK E-Z ACCESS KIT
1	X						D412-705-013	INTAKE PLENUM ACCESS PANEL KIT
1		X					D412-705-015	DRIVESHAFT TUNNEL MODIFICATION KIT
1			X				D412-705-017	N1 GEARBOX ACCESS PANEL KIT
1				X			D412-705-019	C-BOX OIL COOLER LINE SUPPORT ACCESS KIT
1					X		D412-705-021	OIL PRESSURE TRANSMITTER ACCESS KIT
1						X	D412-705-023	OIL COOLER SUPPORT REMOVABLE LOWER PANEL KIT
	1						D3245-041	ACCESS PANEL ASSEMBLY, LH
	1						D3245-042	ACCESS PANEL ASSEMBLY, RH
	2						D3245-043	DOOR ASSEMBLY
	2						D3245-9	GASKET
	2						D3245-11	GASKET
	2						D3245-13	GASKET
			1				D3255-041	ACCESS PANEL ASSEMBLY, LH
			1				D3255-042	ACCESS PANEL ASSEMBLY, RH
		1					D3256-1	ACCESS PANEL
		1					D3256-3	GASKET
				1			D3259-041	ACCESS PANEL ASSEMBLY, LH
				1			D3259-042	ACCESS PANEL ASSEMBLY, RH
					1		D3307-041	ACCESS PANEL ASSEMBLY
						30	AN3-3A	BOLT
		22	30		6		AN3C-3A	BOLT
		3					AN3C-4A	BOLT
						30	AN960JD10	WASHER
	16	44	36		12		IMS20427M3-3/	RIVET
						2	MS21051-L3K	NUT PLATE
	8	22	18		6		MS21060-L3K	NUT PLATE
						18	MS21069-L3K	NUT PLATE
		25	30		6		MS9321-09	WASHER